


12-03-04

C of C



Atty. Dkt. No. 039153-0310 (F0797)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Calvin T. Gabriel et al.
Title: PROCESS FOR IMPROVING
THE ETCH STABILITY OF
ULTRA-THIN PHOTORESIST
Patent. No.: 6,815,359 *B2*
Issue Date: 11/09/2004
Examiner: Tran, Binh X.
Art Unit: 1765

CERTIFICATE OF EXPRESS MAILING	
I hereby certify that this correspondence is being deposited with the United States Postal Service's "Express Mail Post Office To Addressee" service under 37 C.F.R. § 1.10 on the date indicated below and is addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.	
EV505574614US (Express Mail Label Number)	November 30, 2004 (Date of Deposit)
Jeanne M. Johnson (Printed Name)	
<i>Jeanne M. Johnson</i> (Signature)	

**REQUEST FOR CERTIFICATE OF CORRECTION FOR
PTO MISTAKE PURSUANT TO 37 C.F.R. § 1.322(a)**

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Enclosed, in duplicate, is a Certificate of Correction, Form PTO-1050, for United States Patent Number 6,815,359 issued November 9, 2004. The following Patent Office printing errors appear in the issued patent:

IN THE CLAIMS

The exact claim and line number where the errors in the issued patent are shown correctly in the application file are:

Col. 6, line 44 (Claim 1, line 7), following "plasma" insert -- including fluorine -- .

Col. 7, line 28 (Claim 10, line 4), delete "WRF" and substitute -- W RF -- .

Col. 7, line 42 (Claim 15, line 3), preceding "a feature" delete "patterned" and substitute -- patterning -- .

Certificate
DEC 09 2004
of Correction

Col. 8, line 2 (Claim 15, line 12), preceding "densifier", delete "argons" and substitute
-- argon -- .

Applicant submits that the above changes would not constitute new matter, and
correction thereof would not require reexamination.

Pursuant to 37 C.F.R. §1.322, Applicant requests that the enclosed Certificate of
Correction be approved.

Although Applicant believes that no fee is required for this Request, the
Commissioner is hereby authorized to charge any additional fees which may be required for
this Request to Deposit Account No. 06-1447.

Respectfully submitted,

Date 11-30-04

FOLEY & LARDNER LLP
Customer Number: 34083
Telephone: (414) 297-5768
Facsimile: (414) 297-4900

By Joseph N. Ziebert
Joseph N. Ziebert
Attorney for Applicant
Registration No. 35,421

DEC 13 2004

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO : 6,815,359 *B2*
DATED : 11/09/2004
INVENTOR(S) : Calvin T. Gabriel; Uzodinma Okoroanyanwu

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Col. 6, line 44 (Claim 1, line 7), following "plasma" insert -- including fluorine -- .

Col. 7, line 28 (Claim 10, line 4), delete "WRF" and substitute -- W RF -- .

Col. 7, line 42 (Claim 15, line 3), preceding "a feature" delete "patterned" and substitute -- patterning -- .

Col. 8, line 2 (Claim 15, line 12), preceding "densifier", delete "argons" and substitute -- argon -- .

MAILING ADDRESS OF SENDER:

Customer Number: 34083

PATENT NO. 6,815,359

FOLEY & LARDNER LLP

No. of additional copies

777 East Wisconsin Ave., Ste. 3800



Milwaukee, WI 53202-5306

Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comment on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORM TO THIS ADDRESS. SEND TO: Commissioner for Patents, PO Box 1450, Alexandria, VA 22313-1450.

DEC 13 2004

Under the Paperwork Reduction Act of 1995, no persons are required to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 6,815,359 *B2*
DATED : 11/09/2004
INVENTOR(S) : Calvin T. Gabriel; Uzodinma Okoroanyanwu

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Col. 6, line 44 (Claim 1, line 7), following "plasma" insert -- including fluorine -- .

Col. 7, line 28 (Claim 10, line 4), delete "WRF" and substitute -- W RF -- .

Col. 7, line 42 (Claim 15, line 3), preceding "a feature" delete "patterned" and substitute -- patterning -- .

Col. 8, line 2 (Claim 15, line 12), preceding "densifier", delete "argons" and substitute -- argon -- .

MAILING ADDRESS OF SENDER:

Customer Number: 34083

PATENT NO. 6,815,359

FOLEY & LARDNER LLP

No. of additional copies

777 East Wisconsin Ave., Ste. 3800



Milwaukee, WI 53202-5306

Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comment on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORM TO THIS ADDRESS. SEND TO: Commissioner for Patents, PO Box 1450, Alexandria, VA 22313-1450.

DEC 13 2004